

Zylinderschrauben

mit Innensechskant, ISO 4762




DIN 912 8.8

roh / galv. verzinkt

Abmessung			Best.-Nr. roh	VE	Abmessung			Best.-Nr. zink	VE
M 3 X	8		165040	500	M 3 X	8		161040	500
M 3 X	10		165042	500	M 3 X	10		161042	500
M 3 X	12		165044	500	M 3 X	12		161044	500
					M 3 X	14		161045	500
M 3 X	16		165046	500	M 3 X	16		161046	500
M 3 X	20		165048	500	M 3 X	20		161048	500
M 3 X	25		165050	500	M 3 X	25		161050	500
					M 3 X	30		161052	500
M 3 X	35		165054	500					
M 4 X	6		165070	500	M 4 X	6		161070	500
M 4 X	8		165072	500	M 4 X	8		161072	500
M 4 X	10		165074	500	M 4 X	10		161074	500
M 4 X	12		165076	500	M 4 X	12		161076	500
M 4 X	16		165078	500	M 4 X	16		161078	500
M 4 X	20		165080	500	M 4 X	20		161080	500
					M 4 X	25		161082	500
M 4 X	25		165082	500	M 4 X	30		161084	500
M 4 X	30		165084	500	M 4 X	35		161086	500
M 4 X	35		165086	500	M 4 X	40		161088	500
M 4 X	40		165088	500	M 4 X	45		161090	500
M 4 X	45		165090	500					
M 4 X	50		165092	500	M 4 X	50		161092	500
M 4 X	60		165094	500	M 4 X	60		161094	500
M 4 X	65		165095	200					
M 4 X	70		165096	200	M 4 X	70		161096	500
M 5 X	6		165108	500	M 5 X	6		161108	500
					M 5 X	8		161110	500
M 5 X	8		165110	500	M 5 X	10		161112	500
M 5 X	10		165112	500	M 5 X	12		161114	500
M 5 X	12		165114	500	M 5 X	14		161115	500
M 5 X	14		165115	500	M 5 X	16		161116	500
M 5 X	16		165116	500					
M 5 X	18		165118	500	M 5 X	18		161118	500
M 5 X	20		165120	500	M 5 X	20		161120	500
M 5 X	25		165122	500	M 5 X	25		161122	500
M 5 X	30		165124	500	M 5 X	30		161124	500
M 5 X	35		165126	200	M 5 X	35		161126	200
					M 5 X	40		161128	200
M 5 X	40		165128	200	M 5 X	45		161130	200
M 5 X	45		165130	200	M 5 X	50		161132	200
M 5 X	50		165132	200	M 5 X	60		161134	200
M 5 X	60		165134	200	M 5 X	70		161136	200
M 5 X	70		165136	200					

Zylinderschrauben

mit Innensechskant, ISO 4762



DIN 912 8.8

roh / galv. verzinkt

2

Abmessung			Best.-Nr. roh	VE	Abmessung			Best.-Nr. zink	VE
M 5 X	80	165138	200		M 5 X	80	161138	200	
M 6 X	8	165146	500		M 6 X	8	161146	500	
M 6 X	10	165148	500		M 6 X	10	161148	500	
M 6 X	12	165150	500		M 6 X	12	161150	500	
					M 6 X	14	161151	500	
M 6 X	16	165152	500		M 6 X	16	161152	500	
M 6 X	20	165154	500		M 6 X	20	161154	500	
M 6 X	25	165156	500		M 6 X	25	161156	500	
M 6 X	30	165158	500		M 6 X	30	161158	500	
M 6 X	35	165160	200		M 6 X	35	161160	200	
M 6 X	40	165162	200		M 6 X	40	161162	200	
M 6 X	45	165164	200		M 6 X	45	161164	200	
M 6 X	50	165166	200		M 6 X	50	161166	200	
M 6 X	60	165168	200		M 6 X	60	161168	200	
M 6 X	70	165170	200		M 6 X	70	161170	200	
M 6 X	75	165172	200		M 6 X	75	161172	200	
M 6 X	80	165174	200		M 6 X	80	161174	200	
M 6 X	90	165176	100		M 6 X	90	161176	200	
M 6 X	100	165178	100		M 6 X	100	161178	200	
M 6 X	110	165180	100		M 6 X	110	161180	200	
M 6 X	120	165182	100		M 6 X	120	161182	200	
M 8 X	8	165204	200		M 8 X	8	161204	200	
M 8 X	10	165206	200		M 8 X	10	161206	200	
M 8 X	12	165208	200		M 8 X	12	161208	200	
M 8 X	16	165210	200		M 8 X	16	161210	200	
M 8 X	18	165212	200		M 8 X	18	161212	200	
M 8 X	20	165214	200		M 8 X	20	161214	200	
M 8 X	25	165216	200		M 8 X	25	161216	200	
M 8 X	30	165218	200		M 8 X	30	161218	200	
M 8 X	35	165220	200		M 8 X	35	161220	200	
M 8 X	40	165222	200		M 8 X	40	161222	200	
M 8 X	45	165224	200		M 8 X	45	161224	200	
M 8 X	50	165226	200		M 8 X	50	161226	200	
					M 8 X	55	161228	200	
M 8 X	60	165230	200		M 8 X	60	161230	200	
M 8 X	70	165234	200		M 8 X	70	161234	200	
					M 8 X	75	161236	200	
M 8 X	80	165238	200		M 8 X	80	161238	200	
M 8 X	90	165242	100		M 8 X	90	161242	100	
M 8 X	100	165244	100		M 8 X	100	161244	100	

Zylinderschrauben

mit Innensechskant, ISO 4762



DIN 912 8.8

roh / galv. verzinkt

Abmessung			Best.-Nr. roh	VE	Abmessung			Best.-Nr. zink	VE
M 8 X	110		165246	100	M 8 X	110		161246	100
M 8 X	120		165248	100	M 8 X	120		161248	100
M 8 X	130		165250	100	M 8 X	130		161250	100
M 8 X	140		165252	50	M 8 X	140		161252	50
M 8 X	150		165254	50	M 8 X	150		161254	50
M 8 X	160		165256	50	M 8 X	160		161256	50
M 8 X	180		165258	50	M 8 X	180		161258	50
M 8 X	200		165260	50	M 8 X	200		161260	50
M 10 X	12		165278	200	M 10 X	12		161278	200
M 10 X	16		165280	200	M 10 X	16		161280	200
M 10 X	18		165282	200	M 10 X	18		161282	200
M 10 X	20		165284	200	M 10 X	20		161284	200
M 10 X	25		165286	200	M 10 X	25		161286	200
M 10 X	30		165288	100	M 10 X	30		161288	100
M 10 X	35		165290	100	M 10 X	35		161290	100
M 10 X	40		165292	100	M 10 X	40		161292	100
M 10 X	45		165294	100	M 10 X	45		161294	100
M 10 X	50		165296	100	M 10 X	50		161296	100
M 10 X	60		165300	100	M 10 X	60		161300	100
M 10 X	70		165304	100	M 10 X	70		161304	100
M 10 X	75		165306	100	M 10 X	75		161306	100
M 10 X	80		165308	100	M 10 X	80		161308	100
M 10 X	90		165312	100	M 10 X	90		161312	100
M 10 X	100		165314	50	M 10 X	100		161314	50
M 10 X	110		165316	50	M 10 X	110		161316	50
M 10 X	120		165318	50	M 10 X	120		161318	50
M 10 X	130		165320	50	M 10 X	130		161320	50
M 10 X	140		165322	50	M 10 X	140		161322	50
M 10 X	150		165324	50	M 10 X	150		161324	50
M 10 X	160		165326	50	M 10 X	160		161326	50
M 10 X	180		165328	50	M 10 X	180		161328	50
M 10 X	200		165330	50	M 10 X	200		161330	50
M 12 X	16		165348	100	M 12 X	16		161348	100
M 12 X	20		165350	100	M 12 X	20		161350	100
M 12 X	25		165352	100	M 12 X	25		161352	100
M 12 X	30		165354	100	M 12 X	30		161354	100
M 12 X	35		165356	100	M 12 X	35		161356	100
M 12 X	40		165358	100	M 12 X	40		161358	100
M 12 X	45		165360	100	M 12 X	45		161360	100
M 12 X	50		165362	100	M 12 X	50		161362	100

Zylinderschrauben

mit Innensechskant, ISO 4762



DIN 912 8.8

roh / galv. verzinkt


2

Abmessung				Best.-Nr. roh	VE	Abmessung				Best.-Nr. zink	VE
M 12	X	60		165366	100	M 12	X	60		161366	100
M 12	X	70		165370	50	M 12	X	70		161370	50
M 12	X	80		165374	50	M 12	X	80		161374	50
M 12	X	90		165378	50	M 12	X	90		161378	50
M 12	X	100		165380	50	M 12	X	100		161380	50
M 12	X	110		165382	50	M 12	X	110		161382	50
M 12	X	120		165384	50	M 12	X	120		161384	50
M 12	X	130		165386	50	M 12	X	130		161386	50
M 12	X	140		165388	50	M 12	X	140		161388	50
M 12	X	150		165390	50	M 12	X	150		161390	50
M 12	X	160		165392	50	M 12	X	160		161392	50
M 12	X	180		165394	50	M 12	X	180		161394	50
M 12	X	200		165398	50	M 12	X	200		161398	50
*M 14	X	25		165410	100	*M 14	X	25		161410	100
*M 14	X	30		165412	100	*M 14	X	30		161412	100
*M 14	X	35		165414	100	*M 14	X	35		161414	100
*M 14	X	40		165416	100	*M 14	X	40		161416	100
*M 14	X	45		165418	50	*M 14	X	45		161418	50
*M 14	X	50		165420	50	*M 14	X	50		161420	50
*M 14	X	60		165424	50	*M 14	X	60		161424	50
*M 14	X	70		165428	50	*M 14	X	70		161428	50
*M 14	X	80		165432	50	*M 14	X	80		161432	50
*M 14	X	90		165436	50	*M 14	X	90		161436	50
*M 14	X	100		165440	50	*M 14	X	100		161440	50
M 16	X	20		165456	50	M 16	X	20		161456	50
M 16	X	25		165458	50	M 16	X	25		161458	50
M 16	X	30		165460	50	M 16	X	30		161460	50
M 16	X	35		165462	50	M 16	X	35		161462	50
M 16	X	40		165464	50	M 16	X	40		161464	50
M 16	X	45		165466	50	M 16	X	45		161466	50
M 16	X	50		165468	50	M 16	X	50		161468	50
M 16	X	60		165472	25	M 16	X	60		161472	25
M 16	X	70		165476	25	M 16	X	70		161476	25
M 16	X	80		165480	25	M 16	X	80		161480	25
M 16	X	90		165484	25	M 16	X	90		161484	25
M 16	X	100		165488	25	M 16	X	100		161488	25
M 16	X	110		165490	25	M 16	X	110		161490	25
M 16	X	120		165492	25	M 16	X	120		161492	25
M 16	X	130		165494	25	M 16	X	130		161494	25
M 16	X	140		165496	25	M 16	X	140		161496	25

* Kein ständiger Lagerbestand, kurzfristig lieferbar !

Zylinderschrauben

mit Innensechskant, ISO 4762



DIN 912 8.8

roh / galv. verzinkt

Abmessung			Best.-Nr. roh	VE	Abmessung			Best.-Nr. zink	VE
M 16	X	150	165498	25	M 16	X	150	161498	25
M 16	X	160	165500	25	M 16	X	160	161500	25
M 16	X	180	165502	25	M 16	X	180	161502	25
M 16	X	200	165504	25	M 16	X	200	161504	25
M 20	X	40	165512	50	M 20	X	40	161512	25
M 20	X	45	165514	50	M 20	X	45	161514	25
					M 20	X	50	161518	25
					M 20	X	55	161519	25
M 20	X	60	165520	50	M 20	X	60	161520	25
M 20	X	70	165522	50	M 20	X	70	161522	25
M 20	X	80	165524	50	M 20	X	80	161524	25
M 20	X	90	165526	50	M 20	X	90	161526	25
M 20	X	100	165528	25	M 20	X	100	161528	25
M 20	X	120	165532	25					
M 20	X	160	165540	25					
M 24	X	40	165548	25					
*M 24	X	45	165550	50					
*M 24	X	50	165552	50					
*M 24	X	60	165556	50					
*M 24	X	70	165560	50					
*M 24	X	80	165564	25					
*M 24	X	90	165568	25					
*M 24	X	100	165572	25					
*M 24	X	110	165574	25					
*M 24	X	120	165576	25					
*M 24	X	130	165578	10					
*M 24	X	140	165580	10					
*M 24	X	150	165582	10					
*M 24	X	160	165584	10					
*M 24	X	170	165586	10					
*M 24	X	180	165588	10					
*M 24	X	200	165590	10					

* Kein ständiger Lagervorrat, kurzfristig lieferbar ! Weitere Abmessungen auf Anfrage !