


# Sechskantschrauben

mit Vollschaft und Sechskantmutter, identisch  
mit ISO 4016 außer M 10, M 12, M 14, M 22



ähnlich

**DIN 601**

galv. verzinkt


(abweichende SW), Bauschrauben M 12 - M 24 ab Länge 160 = ÜH-Fabrikate

Abmessung			Best.-Nr.	VE	Abmessung			Best.-Nr.	VE
M 10	X	20	121162	200	M 12	X	130	121266	25
M 10	X	25	121164	200	M 12	X	140	121268	25
M 10	X	30	121166	200	M 12	X	150	121270	25
M 10	X	35	121168	100	M 12	X	160	121272	25
M 10	X	40	121170	100	M 12	X	170	121274	25
M 10	X	45	121172	100	M 12	X	180	121276	25
M 10	X	50	121174	100	M 12	X	190	121278	25
M 10	X	60	121178	100	M 12	X	200	121280	25
M 10	X	70	121180	100	M 12	X	220	121284	25
M 10	X	80	121182	100	M 12	X	240	121286	25
M 10	X	90	121184	100	M 12	X	260	121288	25
M 10	X	100	121186	100	M 12	X	280	121290	25
M 10	X	110	121188	50	M 12	X	300	121292	25
M 10	X	120	121190	50	M 12	X	320	121294	25
M 10	X	130	121192	50	M 12	X	340	121296	25
M 10	X	140	121194	50	M 12	X	360	121298	25
M 10	X	150	121196	50	M 12	X	380	121300	25
M 10	X	160	121198	50	M 12	X	400	121302	25
M 10	X	180	121202	50	M 12	X	420	121304	25
M 10	X	200	121206	50	M 12	X	440	121306	25
M 10	X	220	121208	25	M 12	X	460	121308	25
M 10	X	240	121210	25	M 12	X	480	121310	25
M 10	X	260	121212	25	M 12	X	500	121312	25
M 10	X	280	121214	25	M 12	X	520	121314	25
M 10	X	300	121216	25	M 12	X	540	121316	25
M 12	X	20	121230	100	M 12	X	560	121318	25
M 12	X	25	121232	100	M 12	X	580	121320	25
M 12	X	30	121234	100	M 12	X	600	121322	25
M 12	X	35	121236	100	M 12	X	620	121324	15
M 12	X	40	121238	100	M 12	X	640	121326	15
M 12	X	45	121240	100	M 12	X	660	121328	10
M 12	X	50	121242	100	M 12	X	680	121330	15
M 12	X	60	121246	100	M 12	X	700	121332	15
M 12	X	65	121248	100	M 12	X	720	121334	15
M 12	X	70	121250	50	M 12	X	740	121336	10
M 12	X	80	121254	50	M 12	X	760	121338	10
M 12	X	90	121258	50	M 16	X	30	121352	50
M 12	X	100	121260	25	M 16	X	35	121354	50
M 12	X	110	121262	25	M 16	X	40	121356	50
M 12	X	120	121264	25	M 16	X	45	121358	50

# Sechskantschrauben

mit Vollschaft und Sechskanmutter, identisch  
mit ISO 4016 außer M 10, M 12, M 14, M 22

(abweichende SW), Bauschrauben M 12 - M 24 ab Länge 160 = ÜH-Fabrikate



ähnlich

**DIN 601**

galv. verzinkt

2

Abmessung			Best.-Nr.	VE	Abmessung			Best.-Nr.	VE
M 16	X	50	121360	50	M 16	X	660	121440	10
M 16	X	55	121362	50	M 16	X	680	121442	10
M 16	X	60	121364	50	M 16	X	700	121444	10
M 16	X	65	121366	50	M 20	X	40	121462	25
M 16	X	70	121368	25	M 20	X	45	121464	25
M 16	X	80	121370	25	M 20	X	50	121466	25
M 16	X	90	121372	25	M 20	X	55	121468	25
M 16	X	100	121374	25	M 20	X	60	121470	25
M 16	X	110	121376	25	M 20	X	70	121472	25
M 16	X	120	121378	25	M 20	X	80	121474	25
M 16	X	130	121380	25	M 20	X	90	121476	25
M 16	X	140	121382	25	M 20	X	100	121478	25
M 16	X	150	121384	25	M 20	X	110	121480	25
M 16	X	160	121386	25	M 20	X	120	121482	25
M 16	X	170	121388	25	M 20	X	130	121484	25
M 16	X	180	121390	25	M 20	X	140	121486	25
M 16	X	190	121392	25	M 20	X	150	121488	25
M 16	X	200	121394	25	M 20	X	160	121490	15
M 16	X	220	121396	25	M 20	X	180	121494	15
M 16	X	240	121398	25	M 20	X	190	121496	15
M 16	X	260	121400	25	M 20	X	200	121498	15
M 16	X	280	121402	25	M 20	X	220	121500	15
M 16	X	300	121404	25	M 20	X	240	121502	15
M 16	X	320	121406	25	M 20	X	260	121504	15
M 16	X	340	121408	25	M 20	X	280	121506	15
M 16	X	360	121410	25	M 20	X	300	121508	15
M 16	X	380	121412	25	M 20	X	320	121510	15
M 16	X	400	121414	25	M 20	X	340	121512	15
M 16	X	420	121416	25	M 20	X	360	121514	15
M 16	X	440	121418	25	M 20	X	380	121516	15
M 16	X	460	121420	25	M 20	X	400	121518	15
M 16	X	480	121422	25	M 20	X	420	121520	15
M 16	X	500	121424	25	M 20	X	440	121522	15
M 16	X	520	121426	25	M 20	X	460	121524	15
M 16	X	540	121428	25	M 20	X	480	121526	15
M 16	X	560	121430	10	M 20	X	500	121528	15
M 16	X	580	121432	10	M 20	X	520	121530	15
M 16	X	600	121434	10	M 20	X	540	121532	10
M 16	X	620	121436	10	M 20	X	560	121534	10
M 16	X	640	121438	10	M 20	X	580	121536	10

## Sechskantschrauben

mit Vollschaft und Sechskantmutter, identisch  
 mit ISO 4016 außer M 10, M 12, M 14, M 22



**DIN 601**

galv. verzinkt

(abweichende SW), Bauschrauben M 12 - M 24 ab Länge 160 = ÜH-Fabrikate

Abmessung	Best.-Nr.	VE	Abmessung	Best.-Nr.	VE
M 20 X 600	121538	10	M 24 X 360	121652	10
M 24 X 100	121620	10	M 24 X 380	121654	10
M 24 X 110	121622	10	M 24 X 400	121656	10
M 24 X 140	121626	10	M 24 X 420	121658	10
M 24 X 160	121632	10	M 24 X 440	121660	10
M 24 X 200	121636	10	M 24 X 460	121662	10
M 24 X 220	121638	10	M 24 X 480	121664	10
M 24 X 240	121640	10	M 24 X 500	121666	10
M 24 X 260	121642	10	M 24 X 520	121668	10
M 24 X 280	121644	10	M 24 X 540	121670	10
M 24 X 300	121646	10	M 24 X 560	121672	10
M 24 X 320	121648	10	M 24 X 580	121674	10
M 24 X 340	121650	10	M 24 X 600	121676	10

Weitere Abmessungen auf Anfrage !

Gewindesteigungen Metrisches ISO-Gewinde / SW							
Gewinde / SW	Regel-gewinde	Feingewinde		Gewinde / SW	Regel-gewinde	Feingewinde	
M 2	0,4			M 20 / 30	2,5	2	1,5
M 3 / 5,5	0,5	0,35		M 22 / 32/34*	2,5	2	1,5
M 4 / 7	0,7	0,5		M 24 / 36	3	2	1,5
M 5 / 8	0,8	0,5		M 27 / 41	3	2	1,5
M 6 / 10	1	0,75	0,5	M 30 / 46	3,5	2	1,5
M 7 / 11	1	0,75		M 33 / 50	3,5	2	1,5
M 8 / 13	1,25	1	0,75	M 36 / 55	4	3	2,0
M 10 / 17/16*	1,5	1,25	1	M 39 / 60	4	3	2,0
M 12 / 19/18*	1,75	1,5	1,25	M 42 / 65	4,5	3	2,0
M 14 / 22/21*	2	1,5	1,25	M 45 / 70	4,5	3	2,0
M 16 / 24	2	1,5	1	M 48 / 75	5	3	2,0
M 18 / 27	2,5	2	1,5				

\*nach Umstellung auf ISO

**24 Stunden**

**online-shopping**

**www.hansen-solingen.de**